

In application of the Directive ref. 89/686/EEC of the 21" of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92/1765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law.

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1120/162/11/09/0491

To the following model of personal protective equipment:

* protective glove against

mechanical risks.

* reference of the model :

5015

* responsible for placing on the market :

JIANGSU HAOLI MANUFACTURING CO., LTD DONGXING TOWN, JINGJIANG CITY JIANGSU(CHINA)

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Drawn up in Lyon on November 19th, 2009

4, rue Hermann Frenkel 69367 Lyon Cedex 07 - France

Tol. +33(0)4 72 76 10 10 - Fox +33(0)4 72 76 10 00

Issued by Lionel GAUDILLERE

NCTA: Any modification is new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the political factor in accordance with two nine R 4313-19 of the French Code of Work



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 5015

Basic Model

Dated: November 2009

13G glove coated with nitrile

Available sizes :

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Visual description:



Material:

	Colour	Material	Gauges	Thikness
PALM	Grey	Nitrile	13gauges/inch	
BACK	White	Polyester	13gauges/inch	
LINING				
CUFF	White	Polyester	13gauges/inch	
BINDING	Brown	Polyester		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

* EN 420: 2003

- General requirements for gloves and test methods

* EN 388: 2003

- Protective glove against mechanical risks

* Directive 2002/61/CE :

- This product fulfield the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60272-09,SH60274- 09,05919-09,06578-09		
Azo	SH60272-09,SH60274- 09		
EN 388	05919-09		

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	2

The levels of performance have been measured on the palm



Each glove is clearly marked with the following informations :

- * Logo of the authorized representative : HAOLI
- ◆ C € marking
- * reference of the model: 5015
- * size
- pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



INSTRUCTION FOR USE

JIANGSU HAOLI MANUFACTURING CO., LTD DONGXING TOWN, JINGJIANG CITY JIANGSU(CHINA)

Glove refererence: 5015

Available sizes: 6/XS 7/S 8/M 9/L 10/XL 11/XXL

Glove description:

13G glove coated with nitrile

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the directive 89/686/CEE innocuousness, comfort, solidity

It has been subject to a CE type Examination performed by :

C.T.C. (0075)

4, rue Hermann Frenkel

69367 LYON Cedex 07

FRANCE

Applicable standards:

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5 Moreover, this glove has been designed for the following applications :



Levels of performance



Abrasion resistance	4
Blade cut resistance	1
Tear resistance	2
Puncture resistance	2

Protection limit:

The protection against risks or hazards which are not mentioned on this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entaglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.