

Product Datasheet model i-works 9194 885




**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics

- safety spectacles with a sporty design: attractive appearance and robust quality
- metal-free
- uvex supervision coating technology
- duo component technology which combines hard and soft components, soft grip side arms, deliver non-slip fit without pressure points
- low profile side arms with practical hang cord attachment option
- can be easily combined with other PPE
- suitable for the uvex helmet IES
- suitable for construction applications

Technical details

<p>Frame</p> <p>Material Colour</p> <p>Material Colour</p> <p>Manufacturer's ID code Applicable EN norm Low-energy impact Resistance to high speed particles at extremes of temperat. Conformity symbol</p>	<p>Front piece TPU black</p> <p>Temples TPU / TPE black-grey</p> <p>Marking W</p> <p>166 F (45 m/s) T</p> <p>CE</p>
<p>Lens</p> <p>Material Thickness Coating Colour UV protection</p>	<p>PC 2,2 mm Antifog coating on the inside silvermirror grey UV 400</p> <p>Marking</p>

Filter	5-1,7 (DIN EN 172)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Antifog	N
Conformity symbol	CE
Factory symbol	
Miscellaneous	
Weight	28 g
Packing	5 spectacles per box 160 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 172
PPE Category	Category II